

[Tel]

0086-755-23702163

[Mobile/ Whatsapp / Wechat]

0086-15626519762

[Email]

info@beatlesenergy.com

[Skype]

Beatlesolar

[Address]

Address: 4th Floor, Bldg D, Liyue Industrial
Park, Fenghuang Xingye 3rd Road, Fuyong
Town, Bao'an District, Shenzhen, China

深圳市甲壳虫能源科技有限公司
Shenzhen Beatles Energy Technology Co., Ltd.

深圳市宝安区福永街道凤凰第四工业区礼悦
食品工业区D幢4楼整层
Address: 4th Floor, Bldg D, Liyue Industrial Park, Fenghuang Xingye
3rd Road, Fuyong Town, Bao'an District, Shenzhen, China

本宣传册中的信息及图形反映了截稿时产品的技术特点，本着产品不断发展的原则，深圳市甲壳虫能源科技有限公司保留随时改变产品技术数据的权利。本宣传册只提供一般信息，并不作为合同性文件。

CORPORATE
BROCHURE
JKCSOLAR

Beatles solar lights illuminate the world!



深圳市甲壳虫能源科技有限公司
Shenzhen Beatles Energy Technology Co., Ltd.

JKCSOLAR

The most professional and rigorous technical support to your success.

最专业严谨的技术支持，为您的成功保驾护航。



DEDICATED TO BEING THE BEST INTELLIGENT SOLAR STREET LIGHT SUPPLIER IN THE INDUSTRY.

目标：致力为全行业最优秀的智能太阳能路灯供应商。





Quality comes first,
Honesty, Solidarity,
Innovation comes next.

ABOUT **US** PEOPLE-ORIENTED
INTEGRITY WINS THE WORLD

Beatles Energy founded in 2008, Always focus on high technology solar lights development & manufacture, providing a variety of intelligence solar lights solutions, uniquely designed solar street lights, solar lights with CCTV camera, solar hybrid lights, solar garden Lights, we had exported more than 100 countries and regions around the world.

Beatles Energy is a factory who has a area of 4000 square meters, a senior skilled workers over 200 people, including 20 professional engineers who do the R&D. Until now, it has 200 patents of appearance and utility model, and passed the ISO9001 international quality management system certification, and TUV, BV approvals, CE, RoHS, SASO, IEC, IP grade waterproof etc. certificates.

Beatles Energy is always committed to the customers requirements, understanding to their needs and continuously improving the products and services. Let's brighten the dard by eco-friendly way with Beatles Energy.

JKCSOLAR





FX series

JKC-FX-40W | JKC-FX-80W
JKC-FX-50W/60W | JKC-FX-100W/120W



JKC-FX-40W

JKC-FX-40W

Model	JKC-FX-40W
LED	40W
LED chips No.	96PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	849*385*108mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years



JKC-FX-50W/60W

JKC-FX-50W/60W

Model	JKC-FX-50W/60W
LED	50W/60W
LED chips No.	144PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product Size	1078*385*108mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years



JKC-FX-80W

JKC-FX-80W

Model	JKC-FX-80W
LED	80W
LED chips No.	192PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	1549*385*108mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years



JKC-FX-100W/120W

JKC-FX-100W/120W

Model	JKC-FX-100W/120W
LED	100W/120W
LED chips No.	288PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	1863*385*108mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years

SCENE CASE



ZC

series

JKC-ZC-30W/40W | JKC-ZC-80W
JKC-ZC-50W/60W | JKC-ZC-100W/120W



JKC-ZC-30W/40W



JKC-ZC-50W/60W



JKC-ZC-80W



JKC-ZC-100W/120W

JKC-ZC-30W/40W

Model	JKC-ZC-30W/40W
LED	30W/40W
LED chips No.	96PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	55-60mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	575*280*100mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years

JKC-ZC-50W/60W

Model	JKC-ZC-50W/60W
LED	50W/60W
LED chips No.	144PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	55-60mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	665*280*100mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years

JKC-ZC-80W

Model	JKC-ZC-80W
LED	80W
LED chips No.	192PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	55-60mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	755*280*100mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years

JKC-ZC-100W/120W

Model	JKC-ZC-100W/120W
LED	100W/120W
LED chips No.	240PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	55-60mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	845*280*100mm
Certificate	CE/ROHS/IP66/IK09/IEC
Warranty	3/5 years




SCENE CASE



PAD

series

JKC-PD-30W | JKC-PD-50W/60W | JKC-PD-100W/120W
 JKC-PD-40W | JKC-PD-80W



JKC-PD-30W JKC-PD-40W JKC-PD-50W/60W JKC-PD-80W JKC-PD-100W/120W

JKC-PD-30W

Model	JKC-PD-30W
LED	30W
LED chips No.	80PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	820*385*180mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years

JKC-PD-40W

Model	JKC-PD-40W
LED	40W
LED chips No.	80PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	960*385*180mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years

JKC-PD-50W/60W


Model	JKC-PD-50W/60W
LED	50W/60W
LED chips No.	160PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	1190*385*180mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years

JKC-PD-80W

Model	JKC-PD-80W
LED	80W
LED chips No.	160PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	1630*385*55mm/585*125*320mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years

JKC-PD-100W/120W

Model	JKC-PD-100W/120W
LED	100W/120W
LED chips No.	240PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	1950*385*55mm/585*125*320mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years



SCENE CASE



JKC

series

JKC-4000LM | JKC-6000LM | JKC-10000LM
 JKC-5000LM | JKC-8000LM | JKC-12000LM



JKC-4000LM JKC-5000LM JKC-6000LM JKC-8000LM JKC-10000LM JKC-12000LM

JKC-4000LM

Model	JKC-4000LM
LED	40W
LED chips No.	40PCS
Material	High class aluminum alloy
Battery	Brand new A grade lithium battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	60-65mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	598*230*261mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3 years

JKC-5000LM

Model	JKC-5000LM
LED	50W
LED chips No.	40PCS
Material	High class aluminum alloy
Battery	Brand new A grade lithium battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	60-65mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	598*230*261mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3 years

JKC-6000LM

Model	JKC-6000LM
LED	60W
LED chips No.	40PCS
Material	High class aluminum alloy
Battery	Brand new A grade lithium battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	60-65mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	598*230*261mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3 years

JKC-8000LM

Model	JKC-8000LM
LED	80W
LED chips No.	60PCS
Material	High class aluminum alloy
Battery	Brand new A grade lithium battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	60-65mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	598*230*261mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3 years


JKC-10000LM

Model	JKC-10000LM
LED	100W
LED chips No.	60PCS
Material	High class aluminum alloy
Battery	Brand new A grade lithium battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	60-65mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	598*230*261mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3 years

JKC-12000LM


Model	JKC-12000LM
LED	120W
LED chips No.	60PCS
Material	High class aluminum alloy
Battery	Brand new A grade lithium battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	60-65mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	7-12 cloudy/rainy days
Product size	598*230*261mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3 years

SCENE CASE





JKC-G10 | JKC-G30 | JKC-G80
 JKC-G20 | JKC-G50



JKC-G10

JKC-G20

JKC-G30

JKC-G50

JKC-G80

JKC-G10

Model	JKC-G10
LED	10W
LED chips No.	24PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	530*235*150mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years

JKC-G20

Model	JKC-G20
LED	20W
LED chips No.	48PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	840*235*150mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years

JKC-G30

Model	JKC-G30
LED	30W
LED chips No.	72PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	1100*235*150mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years

JKC-G50





Model	JKC-G50
LED	50W
LED chips No.	72PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	1630*235*50mm/585*125*320mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5years

JKC-G80

Model	JKC-G80
LED	80W
LED chips No.	96PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-76mm
Solar Charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	2000*235*50mm/585*125*320mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years




SCENE CASE



J
series

JKC-J20 | JKC-J30 | JKC-J50



JKC-J20

JKC-J20

Model	JKC-J20
LED	20W
LED chips No.	72PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-75mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	570*570*230mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years



JKC-J30

JKC-J30


Model	JKC-J30
LED	30W
LED chips No.	72PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-75mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	660*660*240mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years



JKC-J50

JKC-J50

Model	JKC-J50
LED	50W
LED chips No.	120PCS
Material	High class aluminum alloy
Battery	Brand new A grade LifePO4 battery
Solar panel	High efficiency monocrystalline silicon
Install pole diameter	70-75mm
Solar charge time	6-10 hours by bright sunlight
Cloudy/rainy days	3-7 cloudy/rainy days
Product size	760*760*250mm
Certificate	CE/ROHS/IP65/IEC
Warranty	3/5 years



SCENE CASE



CERTIFICATE DISPLAY



HIGH-TECH ENTERPRISES AND QUALIFICATION CERTIFICATES

高新企业和资质证书



CERTIFICATE 认证证书



CERTIFICATE OF DESIGN PATENT

外观设计专利证书

